

Hazeldean sire's exceptional performance in Angus Australia Sire Benchmarking Programme

Hazeldean entered two sires, F1023 and F493 into the recent AA sire benchmarking programme.

The progeny of Hazeldean sires **NHZF493** and **NHZF1023** part of cohort 3 of the AA sire benchmarking programme have performed exceptionally well, in all traits including calving ease, growth, and particularly carcass— Out of progeny from 40 sires **F1023 progeny ranked 1st for carcass IMF** and 2nd for MSA index and F493 progeny were ranked 3rd, 2nd and 4th for 200, 400 & 600 day weight, also performing at the top for carcass traits.

There were 24 progeny from F1023 and 29 progeny from F493

	BWT	200	400	600	RIB FAT	RUMP FAT	Scan IMF	Carcass IMF	Scan EMA	MSA marble score	MSA Index
F1023 Progeny rank out of 40 sires	25 th	12 th	17 th	15 th	2 nd	10 th	2 nd	1 st	5 th	3 rd	2 nd
F493 Progeny rank out of 40 sires	26 th	3 rd	2 nd	4 th	10 th	2 nd	4 th	7 th	4 th	8 th	5 th

Summary of results below – for full results go to Angus Australia website

Hazeldean retains semen rights on these bulls as per the Hazeldean Semen Interests Protocol



Angus Sire Benchmarking Program - Cohort 3

Summary of Progeny Averages (rank)

Sire ID Name	BW	GL	VV	YW	FW	DTC	SCAN EMA	SCAN RIB	SCAN RUMP	SCAN IMF	CARC WT	CARC EMA	CARC IMF	NFI-I	MSA MBL	MSA OSS	MSA IND	SF
DGJF27 ALLOURA FOURTH DIMENSION F27	34.1 (1)	282.8 (23)	192.1 (35)	359.3 (40)	512.9 (36)	300.7 (16)	66.0 (15)	8.5 (1)	10.8 (1)	6.4 (1)	426.6 (36)	87.7 (20)	12.0 (5)	-3.4 (5)	528.7 (13)	148.2 (14)	65.3 (12)	3.6 (4)
DGJG19 ALLOURA GET UP-AND-GO G19	37.0 (15)	283.0 (24)	202.7 (17)	396.7 (13)	537.3 (21)	290.1 (1)	64.9 (26)	7.8 (8)	10.0 (14)	5.4 (24)	432.3 (31)	82.8 (38)	9.2 (23)	-2.4 (30)	475.1 (31)	149.6 (21)	64.5 (30)	4.2 (34)
CGKE9 ALPINE EXTRA SPECIAL E9	37.1 (18)	279.1 (4)	190.7 (39)	370.2 (37)	515.0 (34)	316.6 (40)	62.4 (39)	5.8 (40)	7.7 (39)	4.9 (40)	434.6 (30)	87.4 (24)	9.4 (20)	-2.4 (30)	542.2 (9)	156.3 (34)	65.2 (15)	3.7 (9)
WJMF96 ARDCAIRNIE F96	36.2 (7)	281.7 (17)	198.9 (21)	390.3 (18)	551.2 (10)	310.5 (37)	69.0 (2)	7.7 (10)	10.1 (11)	5.6 (12)	465.0 (11)	92.1 (7)	9.2 (23)	-3.3 (9)	527.2 (14)	165.4 (40)	64.9 (20)	3.6 (4)
NBBG117 BALD BLAIR NEW DESIGN G117	36.3 (9)	282.1 (20)	197.0 (29)	397.5 (11)	544.0 (12)	302.1 (22)	67.0 (11)	7.4 (18)	9.3 (28)	5.0 (39)	453.4 (19)	92.2 (6)	10.8 (13)	-3.4 (5)	484.6 (23)	161.8 (39)	64.3 (33)	4.2 (34)
WMYF3 BLACKROCK F3	36.5 (10)	279.0 (3)	204.3 (11)	388.2 (22)	555.2 (8)	301.5 (19)	67.2 (9)	7.6 (14)	10.3 (8)	5.7 (10)	479.1 (2)	88.0 (18)	8.4 (36)	-2.5 (27)	458.8 (34)	150.2 (22)	64.6 (28)	4.3 (37)
NGMF510 BOOROOMOOKA FRANKEL F510	40.3 (39)	281.3 (14)	200.3 (20)	405.9 (3)	555.5 (7)	304.1 (26)	65.8 (16)	7.3 (20)	10.1 (11)	5.4 (24)	444.3 (26)	93.3 (5)	12.0 (5)	-3.7 (1)	551.2 (7)	151.2 (26)	65.6 (9)	3.7 (9)
QPDF24 BULLIAC FORWARD LEAP F24	35.1 (4)	278.4 (1)	194.2 (33)	386.9 (23)	510.5 (38)	297.7 (9)	62.9 (38)	6.4 (36)	9.2 (30)	5.3 (32)	430.2 (35)	86.8 (25)	7.9 (40)	-2.7 (21)	443.3 (37)	151.3 (27)	64.1 (36)	4.6 (40)
WLHG60 CHERYLTON INFINITY G60	34.8 (3)	283.4 (26)	201.6 (19)	382.3 (29)	531.1 (25)	292.4 (3)	65.3 (23)	6.5 (35)	9.6 (24)	5.7 (10)	449.9 (23)	89.3 (13)	9.2 (23)	-1.8 (39)	477.7 (28)	159.7 (38)	64.2 (35)	3.9 (24)
WLHG40 CHERYLTON RITO LEGACY 3R9 G40	39.1 (33)	286.7 (39)	187.6 (40)	360.7 (39)	515.4 (33)	309.9 (36)	64.0 (31)	7.4 (18)	10.6 (2)	5.4 (24)	432.1 (32)	91.7 (10)	8.9 (28)	-3.5 (3)	471.2 (33)	144.9 (3)	64.7 (25)	3.8 (18)
NBHF526 CLUNIE RANGE FIRST CLASS F526	39.8 (37)	281.8 (19)	204.1 (13)	402.7 (8)	565.9 (1)	300.4 (15)	67.7 (6)	8.0 (7)	10.0 (14)	5.6 (12)	486.8 (1)	84.1 (34)	8.3 (37)	-2.8 (17)	458.3 (35)	146.5 (8)	64.7 (25)	4.0 (28)
USA16873429 EXAR CONCISE 13048	39.7 (36)	286.1 (36)	205.0 (9)	388.8 (20)	533.4 (23)	308.4 (34)	68.4 (3)	6.6 (31)	8.4 (35)	5.9 (6)	446.7 (25)	96.1 (1)	11.3 (9)	-3.0 (12)	563.0 (5)	148.6 (18)	65.7 (7)	3.7 (9)
EUDF0066 GILMANDYKE FOREMAN F0066	38.2 (27)	280.1 (5)	197.8 (25)	384.0 (26)	561.4 (2)	301.9 (20)	64.9 (26)	6.4 (36)	8.5 (34)	5.5 (20)	451.6 (22)	85.7 (30)	10.4 (15)	-3.1 (11)	482.4 (25)	154.0 (32)	64.4 (31)	4.1 (33)
QBVA020 GLENISA AXLE A020	38.2 (27)	284.1 (33)	190.8 (38)	388.4 (21)	526.0 (30)	296.8 (7)	65.6 (19)	7.2 (22)	9.7 (22)	5.3 (32)	452.4 (21)	85.6 (31)	9.4 (20)	-2.6 (25)	500.6 (17)	148.4 (16)	65.1 (17)	4.4 (39)
SJVG10 GLENTANNER KODIAK G10	37.5 (21)	283.7 (29)	196.1 (31)	382.9 (28)	521.6 (31)	309.4 (35)	61.2 (40)	6.4 (36)	9.5 (26)	5.3 (32)	430.9 (33)	80.9 (40)	8.9 (28)	-3.7 (1)	483.4 (24)	147.0 (9)	64.8 (22)	4.3 (37)
SJKF148 GRANITE RIDGE FOR-PROFIT F148	36.8 (13)	280.5 (7)	205.9 (6)	407.6 (1)	550.6 (11)	308.2 (33)	65.8 (16)	8.4 (2)	9.9 (16)	5.8 (9)	473.0 (7)	86.8 (25)	10.0 (17)	-3.2 (10)	495.9 (18)	145.4 (4)	65.4 (11)	3.9 (24)
NHZF1023 HAZELDEAN F1023	38.0 (25)	283.6 (27)	204.2 (12)	390.7 (17)	542.4 (15)	302.8 (24)	68.0 (5)	8.4 (2)	10.2 (10)	6.1 (2)	462.3 (13)	88.9 (15)	13.8 (1)	-2.0 (38)	572.8 (3)	146.2 (8)	66.5 (2)	3.7 (9)
NHZF493 HAZELDEAN F493	38.1 (26)	281.6 (15)	207.7 (3)	407.4 (2)	558.7 (4)	299.2 (11)	68.1 (4)	7.7 (10)	10.6 (2)	6.0 (4)	454.5 (18)	94.0 (4)	11.7 (7)	-2.4 (30)	545.8 (8)	144.5 (2)	65.9 (5)	3.7 (9)
BCHE11 J & C EVIDENCE E11	40.2 (38)	280.6 (8)	204.4 (10)	404.9 (6)	530.6 (26)	313.0 (38)	66.8 (12)	6.6 (31)	9.1 (31)	5.2 (38)	476.3 (3)	88.8 (16)	9.0 (27)	-2.1 (37)	518.7 (15)	145.4 (4)	65.6 (9)	3.7 (9)
NZE1036 KAKAHU MISSION 1036	38.3 (29)	286.2 (37)	203.4 (15)	381.0 (32)	558.3 (5)	304.9 (28)	67.7 (6)	7.2 (22)	9.5 (26)	5.6 (12)	468.9 (9)	94.5 (3)	10.1 (16)	-2.5 (27)	518.7 (15)	159.5 (37)	65.2 (15)	3.6 (4)
NZCF80 KO DYNAMITE F80	36.9 (14)	280.4 (6)	198.5 (23)	384.3 (25)	530.2 (28)	294.1 (5)	63.9 (32)	6.8 (28)	9.6 (24)	5.6 (12)	462.4 (12)	87.7 (20)	12.1 (4)	-2.6 (25)	588.6 (2)	157.1 (35)	66.0 (3)	3.8 (18)
TFAF3 LANDFALL FORCE F3	37.1 (18)	280.6 (8)	196.6 (30)	397.9 (10)	539.3 (19)	301.4 (18)	65.0 (25)	7.8 (8)	9.3 (28)	5.5 (20)	435.1 (29)	86.7 (27)	8.0 (39)	-2.9 (15)	428.1 (39)	153.4 (31)	63.9 (39)	4.2 (34)

Sire ID Name	BW	GL	VW	YW	FW	DTC	SCAN EMA	SCAN RIB	SCAN RUMP	SCAN IMF	CARC WT	CARC EMA	CARC IMF	NFI-F	MSA MBL	MSA OSS	MSA IND	SF
VLYG1730 LANSONS GENERAL G1730	39.4 (35)	283.9 (30)	206.2 (5)	400.3 (9)	535.4 (22)	297.5 (8)	67.1 (10)	6.6 (31)	8.3 (37)	5.3 (32)	461.9 (14)	91.5 (11)	8.9 (28)	-2.4 (30)	534.4 (11)	147.2 (10)	65.7 (7)	3.7 (9)
NZE14738007774 MERCHISTON INFINITY 774	38.7 (30)	284.4 (34)	207.5 (4)	393.9 (14)	540.1 (18)	293.1 (4)	65.5 (20)	7.1 (25)	10.6 (2)	5.5 (20)	452.6 (20)	82.9 (37)	9.4 (20)	-2.7 (21)	475.5 (30)	147.8 (12)	64.7 (25)	3.7 (9)
NMMF159 MILLAH MURRAH DOC F159	38.8 (32)	283.2 (25)	205.9 (6)	385.8 (24)	542.1 (16)	300.0 (12)	65.4 (22)	8.1 (5)	10.3 (8)	5.4 (24)	474.1 (6)	84.9 (33)	9.9 (19)	-2.5 (27)	472.1 (32)	144.0 (1)	64.9 (20)	3.5 (3)
NMMG18 MILLAH MURRAH HIGHLANDER G18	37.0 (15)	283.9 (30)	201.9 (18)	382.3 (29)	543.0 (14)	307.5 (32)	67.3 (8)	7.5 (16)	10.5 (6)	5.6 (12)	460.9 (15)	92.0 (8)	8.9 (28)	-2.9 (15)	487.7 (20)	148.7 (19)	64.8 (22)	3.8 (18)
NJWF189 MILWILLAH ELSOM F189	37.5 (21)	282.3 (22)	197.3 (27)	397.1 (12)	551.3 (9)	302.0 (21)	66.7 (13)	6.6 (31)	8.3 (37)	5.4 (24)	476.1 (4)	87.7 (20)	8.9 (28)	-3.5 (3)	493.3 (19)	147.4 (11)	65.3 (12)	4.0 (28)
WGMF195 MORDALLUP TIMELINE F195	39.1 (33)	286.3 (38)	205.2 (8)	393.5 (16)	538.5 (20)	300.3 (14)	64.6 (28)	6.8 (28)	9.9 (16)	5.6 (12)	454.8 (17)	86.2 (28)	8.5 (35)	-2.8 (17)	446.0 (36)	152.7 (30)	64.1 (36)	4.0 (28)
NURG20 MURRAY EL GRANDO G20	37.6 (23)	280.9 (10)	208.3 (2)	405.8 (4)	560.7 (3)	301.1 (17)	69.3 (1)	7.1 (25)	9.1 (31)	6.0 (4)	475.8 (5)	95.9 (2)	11.4 (8)	-3.4 (5)	552.0 (6)	150.6 (24)	65.8 (6)	3.9 (24)
NZE21095009E38 NGAPUTAHU E38	41.3 (40)	283.6 (27)	203.5 (14)	402.9 (7)	529.2 (29)	305.8 (31)	65.1 (24)	7.0 (27)	9.1 (31)	5.5 (20)	442.4 (27)	85.0 (32)	11.2 (10)	-2.8 (17)	536.2 (10)	150.4 (23)	65.3 (12)	3.8 (18)
SMPF195 PATHFINDER EQUATOR F195	38.7 (30)	280.9 (10)	202.9 (16)	383.8 (27)	543.2 (13)	305.6 (30)	65.5 (20)	5.9 (39)	7.3 (40)	5.4 (24)	460.5 (16)	90.6 (12)	8.6 (34)	-3.0 (12)	480.7 (26)	148.9 (20)	64.8 (22)	3.6 (4)
NZE10285 RED OAK ZULU 285	37.7 (24)	285.5 (35)	191.5 (37)	375.0 (35)	515.0 (34)	298.6 (10)	63.4 (37)	7.3 (20)	10.5 (6)	5.4 (24)	425.2 (37)	83.5 (35)	9.2 (23)	-2.4 (30)	441.6 (38)	147.9 (13)	64.0 (38)	3.9 (24)
NORF857 RENNYLEA AMBASSADOR F857	37.0 (15)	281.0 (12)	198.7 (22)	370.3 (36)	540.7 (17)	303.9 (25)	64.6 (28)	8.3 (4)	9.8 (19)	5.9 (6)	467.2 (10)	88.2 (17)	12.6 (3)	-2.4 (30)	567.8 (4)	152.5 (29)	66.0 (3)	3.2 (1)
NORF340 RENNYLEA BLACK GOLD F340	34.3 (2)	281.7 (17)	195.8 (32)	389.8 (19)	521.5 (32)	314.3 (39)	64.4 (30)	7.6 (14)	10.1 (11)	5.9 (6)	417.9 (40)	85.9 (29)	10.9 (12)	-3.4 (5)	530.1 (12)	148.4 (16)	65.1 (17)	3.8 (18)
NORF266 RENNYLEA F266	35.5 (5)	281.6 (15)	198.0 (24)	380.1 (33)	530.3 (27)	300.0 (12)	63.8 (34)	7.7 (10)	10.6 (2)	5.6 (12)	441.2 (28)	87.6 (23)	11.1 (11)	-2.8 (17)	486.8 (21)	158.7 (36)	64.6 (28)	4.0 (28)
USA16396573 S A V CAMARO 9272	36.0 (6)	278.9 (2)	197.3 (27)	381.7 (31)	507.9 (39)	290.6 (2)	63.5 (35)	7.5 (16)	8.4 (35)	5.3 (32)	423.6 (39)	83.4 (36)	10.6 (14)	-1.6 (40)	475.6 (29)	150.9 (25)	64.3 (33)	3.3 (2)
DBLF4 TOPBOS AMBASSADOR F4	37.3 (20)	287.0 (40)	197.4 (26)	393.7 (15)	532.9 (24)	302.3 (23)	65.7 (18)	6.8 (28)	9.8 (19)	6.1 (2)	448.5 (24)	92.0 (8)	13.3 (2)	-2.7 (21)	669.7 (1)	148.3 (15)	67.0 (1)	3.6 (4)
NZE17691009E297 TURIHUA REX E297	36.7 (12)	281.2 (13)	194.1 (34)	365.2 (38)	511.1 (37)	304.8 (27)	63.8 (34)	7.2 (22)	9.7 (22)	5.4 (24)	430.3 (34)	89.0 (14)	8.3 (37)	-3.0 (12)	480.2 (27)	155.1 (33)	64.4 (31)	3.7 (9)
BSCF73 WAITARA PIO FEDERAL F73	36.5 (10)	283.9 (30)	209.6 (1)	405.3 (5)	557.5 (6)	305.2 (29)	66.2 (14)	7.7 (10)	9.8 (19)	5.6 (12)	470.9 (8)	87.8 (19)	10.0 (17)	-2.7 (21)	486.7 (22)	152.2 (28)	65.0 (19)	4.0 (28)
NZEB11 WAITAHETA B11	36.2 (7)	282.1 (20)	191.8 (36)	379.4 (34)	507.2 (40)	295.7 (6)	63.9 (32)	8.1 (5)	9.9 (16)	5.3 (32)	424.4 (38)	81.6 (39)	8.8 (33)	-2.4 (30)	418.4 (40)	146.3 (7)	63.9 (39)	3.8 (18)

For easy interpretation colour coding has been applied to the ranking being:

- Rank 1 to 5 (dark green with white text). E.g.

34.1
(1)

- Rank 6 to 10 (light green with black text). E.g.

36.5
(10)